

## Potassium and Chronic Kidney Disease

Potassium is an important mineral that regulates your heartbeat and helps your nerves and muscles work properly. It's in many of the foods you eat, and your kidneys help to control the amount of potassium in your body. When your kidneys are not working well, your potassium can become too high or too low, which can affect your health.

Your dietary potassium needs may change throughout your kidney journey. Some people may need to restrict their potassium intake, while others may need more. Your dietitian will help you plan your diet so that you are getting the right amount of potassium.


### HOW FOODS MAY AFFECT YOUR POTASSIUM LEVEL



- The potassium from plant-based foods is less absorbed by your body.
- These foods affect your potassium level less than animal-based foods or processed foods.



- The potassium from animal-based foods can be more easily absorbed by the body than plant-based foods.
- These foods affect your potassium more than plant-based foods, but less than processed foods.



- The potassium from processed foods is more easily absorbed by the body than plant-based foods or animal-based foods.
- These foods affect your potassium level the most.

\*Processed foods can also include juices and sodas, fast food items, vegetarian meat substitutes, salt substitutes and more. Processed foods often contain high levels of salt and sugar.

**If you do need to manage the amount of potassium you eat, here are some helpful tips:**

### **Maintain a healthy, balanced diet**

**Choose fresh, unprocessed, and whole foods more often.**

- Processed foods are rich in potassium and can affect your potassium level.
- Processed foods often have potassium additives.

**Choose healthy plant-based foods more often.**

- Adding plant-based foods can lower blood pressure and cholesterol, improve diabetes and weight management, and slow kidney disease progression.
- Choose animal-based proteins in moderation and consider adding plant-based proteins like beans or lentils (check out the recipes at Kidney Community Kitchen!)

**Increase the fibre in your diet.**

- Fibre can help manage the potassium level in your body by regulating bowel movements.
- Regular bowel movements help to remove excess potassium from the body.
- Most fruits, vegetables, legumes, and whole grains are also high in fibre.

### **Read food labels**

**Avoid potassium additives**

- Potassium additives are common preservatives and salt substitutes.
- They can be found in many processed foods, like deli meats.
- They are concentrated sources of potassium that are easily absorbed by the body.
- Choose fresh, additive-free meats and other sandwich fillings more often.

**Eg.** Thinly sliced chicken, turkey, pork, and beef, egg, or no-added-salt canned fish.

- Check the sodium content of processed meats that are promoted as additive-free.
- Read the ingredients list and look for words that include 'potassium'.
- Examples include potassium chloride, potassium phosphate, and potassium lactate.

Speak to your dietitian about how much potassium is right for you.

## Be aware of serving size

Some foods may contain more potassium than others, so their serving sizes will be different.

**Eg.** Lychees contain a small amount of potassium, so a serving size is 10 fruits. Mangoes have a much higher potassium content, so a serving size is only ½ fruit.

Cooking may cause some foods to shrink to a smaller serving size while the potassium content remains the same.

**Eg.** ½ cup of raw spinach will shrink to 1 tbsp when cooked. Eating ½ cup of cooked spinach will have a much higher potassium content than ½ cup of raw spinach.

## HOW TO READ A FOOD LABEL

Example: Ham Deli Slices

Nutrition Facts Valeur nutritive	
Per 4 slices (50 g) Pour 4 tranches (50 g)	
<b>Calories 70</b>	% Daily Value % valeur quotidienne
<b>Fat / Lipides</b> 2 g	3 %
Saturated / saturés 0.5 g	3 %
+ Trans / trans 0 g	
<b>Carbohydrates / Glucides</b> 3 g	
Fibre / Fibres 0 g	0 %
Sugars / sucres 1 g	1 %
<b>Protein / Protéines</b> 9 g	
<b>Cholesterol / Cholestérol</b> 20 mg	
<b>Sodium</b> 450 mg	20 %
Potassium 300 mg	6 %
Calcium 10 mg	1 %
Iron / Fer 0.3 mg	2 %

→ **Serving Size**  
Tells you what a single portion is.

→ **% Daily Value**  
Tells you how much a nutrient in a single serving contributes to a daily diet (based on a 2000 calorie diet).

→ **Potassium**  
Listed per serving

### Beware of potassium additives

The ingredients list will tell you if there are potassium additives in the product.

**Ingredients:** Pork, water, sugars (corn maltodextrin, honey, corn syrup solids, brown sugar, sugar), salt, flavour, potassium phosphate, sodium lactate, carrageenan, sodium diacetate, sodium erythorbate, sodium nitrite, smoke.

**May contain:** Tree nuts, milk, soy, mustard.

**Ingrédients :** Porc, eau, sucres (maltodextrine de maïs, miel, sirop de glucose déshydraté, cassonade, sucre), sel, arôme, phosphate de potassium, lactate de sodium, carraghénine, diacétate de sodium, érythorbate de sodium, nitrite de sodium, fumée.  
**Peut contenir :** Noix, lait, soya, moutarde

## Choose kidney-friendly foods

If your potassium is too low or too high, your dietitian may recommend that you modify your diet based on your individual needs. Higher potassium foods will affect your potassium more than lower potassium foods. Here are some examples of **higher-potassium** foods:

### FRUITS AND VEGETABLES



**Root vegetables  
(especially POTATOES)**

- See the double-boiling technique!



**Bananas Avocados**



**Bitter melon**



**Dried fruits &  
vegetables**



**Nuts and seeds**  
(limit to ¼ cup per day)<sup>a</sup>



**Nut butters**  
(limit to 2 TBSP per day)<sup>a</sup>

### BEVERAGES



**Coconut water**



**Coffee & tea**  
(limit to 2 cups per day)<sup>a</sup>



**Canned  
coconut milk**



**Plant-based  
milks<sup>b</sup>**



**Cow and soy milk (and  
other dairy products)**

- Limit to 1 cup per day<sup>a</sup>



**Orange and prune juices**

- Limit other juices to  
½ cup per day<sup>a</sup>



**Electrolyte drinks and drink  
mixes (powder & liquids)<sup>b</sup>**

### PROCESSED FOODS



**Fried &  
fast foods**



**Chocolate**



**Molasses**



**Low sodium foods with  
potassium additives<sup>b</sup>**



**Salt substitutes<sup>b</sup>**



**Fries & potato chips**

- Try double-boiled  
potatoes instead!



**Tomato-based foods  
(sauces, soups, juices)**

- Choose fresh tomatoes!



**Processed meats<sup>b</sup> (ham,  
hot dogs, deli meat, etc.)**

<sup>a</sup> If your potassium is high

<sup>b</sup> Check for **potassium additives**

